

CERAMIC & VITRIFIED CATALOGUE



CERA

Cera Sanitaryware Limited

Corporate Office :

7th & 8th Floors, B Wing, Privilon, Ambli BRTS Road,
Iskcon Crossroads, Ahmedabad - 380059

Tel.: +91 79 49112222 | Email: tiles@cera-india.com | Web: www.cera-india.com

ABOUT US

CERA presents fresh, exciting creations that will help you turn any space into one that is absolutely and perfectly YOU. It is a collection that fulfils your desires and passion An extensive range of ceramic wall and floor tiles, of impeccable quality, featuring over 200 breathtaking designs, colours and textures inspired by the elements of nature. Now imagine the rustic charm of exotic stones, graceful patterns of marbles, warm and lively textures of wood. The collection captures the very many Shades of nature, in all its glory. So follow your heart's desire and go minimalist, ethnic or contemporary. You will get a feeling of contentment as you watch your ideas take shape, turning into reality.



**A NAME OF EXCELLENCE
A BRAND OF TRUST**

We are proud to be recognized by Superbrands India - 2023.

AFFILIATIONS





ALL ART IS AT ONCE SURFACE AND SYMBOL.

The Indian consumer is becoming more and more design & decor conscious by the day. A home is no more a necessity but it is a reflection of one's status, personality & taste. Therefore, the demand for premium quality vitrified tiles with beautiful designs and perfect craftsmanship has increased by leaps & bounds. CERA presents a unique collection of Glazed Vitrified Tiles to fulfill the ever-expanding needs and expectations of the Indian consumer. CERA range of Glazed Vitrified Tiles in an extensive array of exclusive designs in the all sizes available through a wide distribution network.

APPLICATION AREA



TECHNICAL SPECIFICATION



A GLIMMER OF SUPREME BEAUTY



CONTENTS

CERA
Tiles

ETERNO

Digital Porcelain Tiles

600x1200 mm — **08**

600x600 mm — **24**

FIORE

HD Digital Tiles

396x396 mm — **29**

RUVIDO

Anti-Skid Tiles

300x300 mm — **29**

DIGITALE

HD Digital Tiles

300x600 mm — **32**

300x450 mm — **50**

REFINITO

Double Charged Vitrified Tiles

600x1200 mm — **76**

800x800 mm — **78**

600x600 mm — **80**

IDENTITY

Full Body Vitrified Tiles

600x1200 mm — **84**

600x600 mm — **88**

ELEGANTE

Vitrified Tiles with Nano Technology

600x600 mm — **90**

**DELIGHTS FOR
A WONDERFUL
ABODE.**



Fire
Resistant



Dimensional
Stability



Chemical
Resistance



Stain
Resistance



Hygienic
Surface

ETERNO

Digital Porcelain Tiles

600x1200 mm

Finish:
High Gloss | Color Max
Inscript Infinity | Inscript
Rock | Earthen




Size: 600x1200 mm
Finish: Color Max

ETERNO
Digital Porcelain Tiles

Size: 600x1200 mm
Finish: High Gloss

CERA
Tiles




SPIDER BLACK
T521066NA




VECTOR BLACK DECOR
T521055NA



DAHLIA LEAF
T521054NA



SEA BLUE
T521061NA




VOLTAS BLUE
T521065NA




PACIFIC ARCTIC
T521062NA


Finish: Highgloss




DIVINE AQUA
T521060NA




OLYMPUS PEARL
T521058NA




AZURE BLUE
T521057NA



PACIFIC BLACK
T521063NA




PHONIX AQUA
T521059NA




MARQUINA GOLD
T521056NA

Highgloss




ABSTRACT BLACK
T521064NA


Finish:
Infinity Inscript



ONYX PEACOCK
T521033NA



ONYX BRUNO
T521053NA



GOLDEN POTRO
T521001NA



LABLE BLACK
T521018NA




Tiles Shown: Roar Crema & Golden Potro



ROAR CREMA
T521029NA




ASTRID BLUE
T521024NA




SNOWBERGE WHITE
T521026NA



CRYSTALIO WHITE
T521028NA




HARMONY WHITE
T521031NA



VENUS WHITE
T521032NA



TEAL BLUE
T521016NA



TEAL BIANCO
T521017NA




LABLE WHITE
T521019NA



MUSK WHITE
T521027NA



SLINTER WHITE
T521030NA




THOR MARVEL
T521025NA

Size: 600x1200 mm
Finish: Inscript

ETERNO
Digital Porcelain Tiles

Size: 600x1200 mm
Finish: Inscript

CERA
Tiles



LABEL BIANCO
T521003NA



LABLE BIANCO DECOR
T521004NA



LABEL GRIS
T521002NA



LABLE BEIGE
T521006NA



LABLE BEIGE DECOR
T521007NA



LABLE BROWN
T521005NA




Tiles Shown: Lable Beige, Decor & Brown

Size: 600x1200 mm
Finish: Inscript

ETERNO
Digital Porcelain Tiles

Size: 600x1200 mm
Finish: Inscript


CERA
Tiles




GEMS MULTI
T521008NA



CENTURO BEIGE
T521034NA



REGALIA SATVARIO
T521020NA



REGALIA SILVER
T521042NA



REGALIA GRIGIO
T521044NA

Finish: Rock



SUNNY BIEGE
T521046NA



THASSOS MARBLE
T521037NA




REGALIA SATVARIO DECOR
T521021NA



REGALIA SILVER DÉCOR
T521043NA




REGALIA GRIGIO DÉCOR
T521045NA




CEMENTO GREY
T521038NA



CEMENTO GRAPHITE
T521039NA



CEMENTO NATURAL
T521040NA



CEMENTO BLUSH
T521041NA



CHROMA BIANCO
T521047NA



CHROMA FANGO DECOR
T521014NA



CHROMA FANGO
T521048NA



CHROMA GESSO
T521049NA



CHROMA GESSO DECOR
T521015NA

Size: 600x1200 mm
Finish: Earthen

ETERNO
Digital Porcelain Tiles

Size: 600x1200 mm
Finish: Earthen

CERA
Tiles



CHROMA POLEVER
T521051NA



CHROMA DECOR
T521013NA



CHROMA CARBON
T521050NA



HEARTWOOD SILVER
T521010NA



HEARTWOOD NATURAL
T521011NA



HEARTWOOD CHERRY
T521012NA

INSCRIPT



Tiles Shown: Chroma Polever, Decor & Carbon

THE ULTIMATE
TREND OF
PERFECTION.



Fire
Resistant



Dimensional
Stability



Chemical
Resistance



Stain
Resistance



Hygienic
Surface

ETERNO | FIORE | RUVIDO
Digital Porcelain Tiles | HD Digital Tiles | Anti-Skid Tiles

600x600 mm | 396x396 mm | 300x300 mm

Finish:
Earthen | Rustic



Size: 600x600 mm
Finish: Earthen

ETERNO
Digital Porcelain Tiles

Size: 600x600 mm
Finish: Earthen


CERA
Tiles



JERTE BROWN
T511256NA



JERTE BEIGE
T511257NA



JERTE BLACK
T511258NA



JERTE NATURAL
T511259NA



JERTE BIANCO
T511262NA



BRIO WHITE
T511214NA



ARENA IVORY
T511125NA



ARENA WHITE
T511126NA



WAVESON LIGHT GREY
T511213NA



NEWTON BIANCO
T511267NA



NEWTON GRIS
T511268NA



ICEBERG DK GREY
T511116NA



Tiles Shown: Iceberg DK Grey

Size: 600x600 mm
Finish: Earthen

ETERNO
Digital Porcelain Tiles



PABE
T511064NA



ICEBERG LT GREY
T511118NA



WAVE CREMA
T511137NA



MANDARO GREY
T511195NA



FEEN SAND GREY
T511199NA




FEEN SAND LIGHT GREY
T511200NA



Tiles Shown: Wave Crema

Size: 600x600 mm
Finish: Earthen

CERA
Tiles



LAXURIO
T511211NA



DECK WOOD
T511261NA



LUDO WOOD
T511255NA



ALMONE
T511232NA




MIXINO WOOD
T511218NA



LEFINI
T511230NA



TIBER
T511237NA



TANGO WOOD
T511197NA



LIMARO WOOD
T511201NA



TEARO WOOD
T511208NA




WOOD SQUARE
T511265NA

Size: 600x600 mm
Finish: Earthen

ETERNO


Digital Porcelain Tiles



AGED GREY
T511140NA



IRIS WOOD
T511260NA



HEXACON BROWN
T511138NA



LIMO STAR
T511148NA



BRUNO WOOD
T511153NA



NERA
T511236NA



NEO VERDE
T511127NA



NEO BROWN
T511128NA




LEGNO WOOD
T511266NA



WOODMARK
T511144NA



PRISMA
T511154NA



MILAN WENGE
T511149NA

FIORE


HD Digital Tiles

Size: 396x396 mm
Finish: Earthen


CERA

Tiles


Make to order




JAISALMER COTTO
T713027NA



JAISALMER RUST
T713028NA



JAISALMER BEIGE
T713029NA




FOG BEIGE
T713026NA



FRADELLA
T714003NA



FRAUSIN
T714004NA



FRATINI
T714002NA

Size: 300x300 mm

RUVIDO

Anti-Skid Tiles



RUVIGO
T721002NA



RUVETTA
T721502NA



PLAIN IVORY
T721520NA




PLAIN WHITE
T721521NA



Tiles Shown: Ruvigo

POSITIVE
OUTLOOK TO
YOUR SPACE.



Fire
Resistant



Dimensional
Stability



Chemical
Resistance



Stain
Resistance



Hygienic
Surface

DIGITALE

HD Digital Tiles

300x600 mm

300x300 mm

Finish:

Highgloss


Glossy

Vitrosa

TR Coating

Matt

Elevation



Size: 300x600 mm
Finish: High Gloss

DIGITALE
HD Digital Tiles

Size: 300x600 mm
Finish: High Gloss

CERA
Tiles




Tiles Shown: **Glacier Olive**




CRYPTO GREEN LA
T936050LA



CRYPTO GREEN HA
T936050HA



CRYPTO GREEN DA
T936050DA




CRYPTO GREEN FA
T936050FA




CRYPTO PINK LA
T936051LA



CRYPTO PINK HA
T936051HA



CRYPTO PINK DA
T936051DA



CRYPTO PINK FA
T936051FA



GLACIAR OLIVE LA
T936052LA



GLACIAR OLIVE HA
T936052HA



GLACIAR OLIVE DA
T936052DA




GLACIAR OLIVE FA
T936052FA




OSUM GREEN LA
T936056LA



OSUM GREEN HA
T936056HA



OSUM GREEN DA
T936056DA




OSUM GREEN FA
T936056FA



SIZZLER GREEN LA
T936059LA



SIZZLER GREEN HA
T936059HA



SIZZLER GREEN FA
T936059FA



ULTIMATE BLUE LA
T936061LA



ULTIMATE BLUE HA
T936061HA



ULTIMATE BLUE FA
T936061FA

Size: 300x600 mm
Finish: High Gloss

DIGITALE

HD Digital Tiles

Size: 300x600 mm
Finish: High Gloss



PATHON BLACK LA
T936057LA



PATHON BLACK HA
T936057HA



PATHON BLACK DA
T936057HB



PATHON BLACK FA
T936057FA



PLUMTON LA
T936058LA



PLUMTON HA
T936058HA




PLUMTON HB
T936058HB



PLUMTON FA
T936058FA



SUNAMI LA
T936060LA




SUNAMI HA
T936060HA



SUNAMI FA
T936060FA




GRITSTONE LA
T936054LA



GRITSTONE HA
T936054HA



GRITSTONE DA
T936054DA




GRITSTONE FA
T936054FA




LEXITONE LA
T936055LA



LEXITONE HA
T936055HA



LEXITONE DA
T936055DA



LEXITONE FA
T936055FA



GOLDER WAVE LA
T936053LA



GOLDER WAVE HA
T936053HA




GOLDER WAVE FA
T936053FA



Tiles Shown: Gritstone



MADONNA LA
T816005LA



MADONNA HA
T816005HA



MADONNA DA
T816005DA



MADONNA FA
T816005FA




PETRA BEIGE LA
T816254LA



PETRA BEIGE HA
T816254HA



PETRA BEIGE DA
T816254DA




PETRA BEIGE FA
T816254FA



CONGO TURQUOISE LA
T816169LA



CONGO TURQUOISE HA
T816169HA




CONGO TURQUOISE DA
T816169DA




CONGO TURQUOISE FA
T816169FA




CONGO BLACK LA
T816171LA




CONGO BLACK HA
T816171HA




CONGO BLACK DA
T816171DA



CONGO BLACK FA
T816171FA



TASMANIA LA
T816268LA



TASMANIA HA1
T816268HA



TASMANIA HA2
T816268HB



TASMANIA FA
T816268FA




RYOAN GREY LA
T816318LA




RYOAN GREY HA
T816318HA



RYOAN GREY DA
T816318DA




RYOAN GREY FA
T816318FA




FILLATO LA
T826211LA



FILLATO HA
T826211HA



FILLATO DA
T826211DA



FILLATO FL
T826211FA




NECTOR LA
T826215LA



NECTOR HA
T826215HA



NECTOR DA
T826215DA



NECTOR FA
T826215FA



EPICO LA
T826217LA



EPICO HA
T826217HA



EPICO HB
T826217HB



EPICO FA
T826217FA




GRANIGLOW LA
T826206LA




GRANIGLOW HA
T826206HA



GRANIGLOW HB
T826206HB



GRANIGLOW DA
T826206DA



GRANIGLOW FA
T826206FA



ONYXER LA
T826224LA



ONYXER HA
T826224HA



ONYXER HB
T826224HB

Size: 300x600 mm
Finish: Glossy

DIGITALE

HD Digital Tiles



FARMHOUSE LA
T826207LA




FARMHOUSE HA
T826207HA



FARMHOUSE HB
T826207HB




FARMHOUSE DA
T826207DA



FARMHOUSE FA
T826207FA



RICH BROWN LA
T826226LA



RICH BROWN HA
T826226HA



RICH BROWN HB
T826226HB



RICH BROWN FA
T826226FA




RICH GRIS LA
T826228LA




RICH GRIS HA
T826228HA




RICH GRIS HB
T826228HB



RICH GRIS FA
T826228FA




RICH BIANCO LA
T826229LA



RICH BIANCO HA
T826229HA



RICH BIANCO HB
T826229HB



RICH BIANCO FA
T826229FA


Size: 300x600 mm
Finish: Glossy

CERA


Tiles




RICH CREMA LA
T826227LA



RICH CREMA HA
T826227HA



RICH CREMA HB
T826227HB




RICH CREMA FA
T826227FA



Tiles Shown: Rich Crema




LINIER BLACK
T826202DA



STRIPE BLACK
T826203DA



MALORCA BLACK
T826201DA




LINIER WHITE
T826202LA



STRIPE WHITE
T826203LA




MALORCA WHITE
T826201LA




BALGRAVIA LA
T826218LA



BALGRAVIA HA
T826218HA



BALGRAVIA DA
T826218DA



BALGRAVIA FA
T826218FA



IMPERIO LA
T826221LA




IMPERIO HA
T826221HA



OBLONG LA
T816304LA



OBLONG HA
T816304HA



OBLONG FA
T816304FA




ORASSIO LA
T826219LA




ORASSIO HA
T826219HA



ORASSIO DA
T826219DA



ORASSIO FA
T826219FA



ALBANY GREY LA
T816262LA



ALBANY GREY HA
T816262HA




ALBANY GREY HB
T816262HB




ARROW CHIPS LA
T816129LA




ARROW CHIPS HA
T816129HA




ARROW CHIPS DA
T816129DA



ARROW CHIPS FA
T816129FA



ALBANY GREY DA
T816262DA



ALBANY GREY FA
T816262FA



TANGLE LA
T816309LA



TANGLE HA
T816309HA



TANGLE DA
T816309DA



PLAIN WHITE FA
T721521NA






ARIA LA
T816310LA




ARIA HA
T816310HA



ARIA FA
T816310FA



MALESCO LA
T816007LA



MALESCO HA
T816007HA



MALESCO FA
T816007FA



CALLEVA LA
T826210LA



CALLEVA HA
T826210HA



CALLEVA FA
T826210FA



SWILLS LA
T816303LA




SWILLS HA
T816303HA



SWILLS DA
T816303DA



SWILLS FA
T816303FA



SHINE WHITE
T816058NA - Glossy
T816058MA - Matt



LIMANO LA
T846017LA



LIMANO HA
T846017HA



MAXINO LT
T846016LA



MAXINO HA1
T846016HA



MAXINO HA2
T846016HB



MAXINO DK
T846016DA



CUTTLERY LA
T846012LA



CUTTLERY HA
T846012HA



CUTTLERY HB
T846012HB



ANNAPURNA LA
T846013LA



ANNAPURNA HA
T846013HA



ANNAPURNA HB
T846013HB



ITALINO LT
T846015LA



ITALINO HA1
T846015HA



CUISINE STAVARIO LA
T846022LA




CUISINE STAVARIO HA
T846022HA

Size: **300x600 mm**
Finish: **Vitrosa**

DIGITALE

HD Digital Tiles


Size: **300x600 mm**
Finish: **TR Coating**




BLOSSOM LA
T826246LA



BLOSSOM HA
T826246HA



BLOSSOM DA
T826246DA



BLOSSOM FA
T826246FA




PATRON LA
T826242LA



PATRON HA
T826242HA



PATRON FA
T826242FA




STRIX LA
T826254LA



STRIX HA
T826254HA



STRIX FA
T826254FA



RAINY BEIGE LA
T826236LA




RAINY BEIGE HA
T826236HA




RAINY BEIGE FA
T826236FA


Size: **300x600 mm**
Finish: **TR Coating**



OXIDE BROWN
T826257DA



OXIDE BEIGE
T826257LA




TERACE LA
T826238LA




TERACE HA
T826238HA




TERACE DA
T826238DA




TERACE FA
T826238FA



OXIDE GRIS
T826258DA



OXIDE BIANCO
T826258LA




ALIGATOR LA
T826243LA



ALIGATOR HA
T826243HA




ALIGATOR DA
T826243DA




ALIGATOR FA
T826243FA


Size: **300x600 mm**
Finish: **Matt**




RAINY WHITE LA
T826240LA



RAINY WHITE HA
T826240HA




RAINY WHITE HB
T826240HB



OPULAM LA
T826231LA



OPULAM HA
T826231HA



OPULAM DA
T826231DA



OPULAM FA
T826231FA

Size: 300x600 mm
Finish: Matt

DIGITALE

HD Digital Tiles

Size: 300x600 mm
Finish: Matt Elevation




TAGAS BROWN LA
T826111LA



TAGAS BROWN HA
T826111HA



TAGAS BROWN DA
T826111DA



TAGAS BROWN FA
T826111FA




BORNE STONE
T853117NA



TREBICA BROWN
T853118NA



CINTARE BEIGE
T853119NA



BAFFIN LA
T826131LA



BAFFIN HA
T826131HA




BAFFIN DA
T826131DA



BAFFIN FA
T826131FA




MARLON BROWN
T853120NA



MARLON NATURAL
T853121NA




MARLON RED
T853122NA




SILVER PEARL LA
T826137LA



SILVER PEARL HA
T826137HA




SILVER PEARL DA
T826137DA




SILVER PEARL FA
T826137FA



TORSO BRICK GREY
T856054NA



CABECA GREY
T856062NA



BRICO RUSTIC
T856064NA




GOLDEN PEARL LA
T826138LA



GOLDEN PEARL HA
T826138HA




GOLDEN PEARL DA
T826138DA



GOLDEN PEARL FA
T826138FA




NATURAL RED BRICK
T856066NA



PACIFIC STONE
T856070NA




ROCK GREY
T856074NA




HURON LA
T826141LA




HURON HA
T826141HA



HURON DA
T826141DA



HURON FA
T826141FA



BRICO WHITE
T856065NA




OXWOOD LA
T826230LA



OXWOOD HA
T826230HA



OXWOOD DA
T826230DA



OXWOOD FA
T826230FA

CRAFTED
FOR
PERFECTION.



Fire
Resistant



Dimensional
Stability



Chemical
Resistance



Stain
Resistance



Hygienic
Surface

DIGITALE
HD Digital Tiles


300x450 mm
300x300 mm

Finish:
Glossy
Glossy Elevation
Matt
Matt Elevation





CONTI LA
T813052LA



CONTI HA
T813052HA



CONTI DA
T813052DA



CONTI FA
T813052FA



NEXO LA
T813190LA




NEXO HA
T813190HA



NEXO DA
T813190DA



NEXO FA
T813190FA




CODIANNI LA
T813053LA



CODIANNI HA
T813053HA



CODIANNI DA
T813053DA



CODIANNI FA
T813053FA



SEA WAVES LA
T813276LA



SEA WAVES HA
T813276HA



SEA WAVES DA
T813276DA



SEA WAVES FA
T813276FA




SELVIN LA
T815107LA



SELVIN HA
T815107HA




SELVIN DA
T815107DA




SELVIN FA
T815107FA




HAYER WHITE LA
T813268LA




HAYER WHITE HA
T813268HA




HAYER BLACK DA
T813268DA



HAYER BLACK FA
T813268FA




KEVENTER BEIGE LA
T813114LA



KEVENTER BEIGE HA
T813114HA



KEVENTER BEIGE DA
T813114DA




KEVENTER BEIGE FA
T813114FA




HOMESTONE LA
T813193LA



HOMESTONE HA
T813193HA



HOMESTONE DA
T813193DA



HOMESTONE FA
T813193FA




AZALEA GREY LA
T813127LA



AZALEA GREY HA
T813127HA



AZALEA GREY DA
T813127DA



AZALEA GREY FA
T813127FA



SYLVATIC GLACE LA
T813274LA




SYLVATIC GLACE HA
T813274HA



SYLVATIC GLACE DA
T813274DA




SYLVATIC GLACE FA
T813274FA




CIRENE LA
T813188LA



CIRENE HA
T813188HA



CIRENE DA
T813188DA




CIRENE FA
T813188FA




SYLVATIC BLUE LA
T813275LA



SYLVATIC BLUE HA
T813275HA



SYLVATIC BLUE DA
T813275DA



SYLVATIC BLUE FA
T813275FA

Size: 300x450 mm
Finish: Glossy

DIGITALE

HD Digital Tiles

Size: 300x450 mm
Finish: Glossy




BELLUVER LA
T813209LA



BELLUVER HA
T813209HA



BELLUVER DA
T813209DA



BELLUVER FA
T813209FA



BUBBLE LA
T815151LA



BUBBLE HA
T815151HA



BUBBLE DA
T815151DA



BUBBLE FA
T815151FA



RAINDROP LA
T815109LA



RAINDROP HA
T815109HA



RAINDROP DA
T815109DA



RAINDROP FA
T815109FA




SAZIV GREY LA
T813278LA




SAZIV GREY HA
T813278HA



SAZIV GREY DA
T813278DA



SAZIV GREY FA
T813278FA



DAISY LA
T813290LA



DAISY HA
T813290HA



DAISY DA
T813290DA




DAISY FA
T813290FA




AAPRI LA
T813344LA



AAPRI HA
T813344HA



AAPRI DA
T813344DA



AAPRI FA
T813344FA




ALPES LA
T813202LA




ALPES HA
T813202HA



ALPES DA
T813202DA



ALPES FA
T813202FA




ADAMAS LA
T813208LA




ADAMAS HA
T813208HA



ADAMAS DA
T813208DA



ADAMAS FA
T813208FA



VECTOR BLUE LA
T813293LA



VECTOR BLUE HA
T813293HA



VECTOR BLUE DA
T813293DA




VECTOR BLUE FA
T813293FA




Tiles Shown: Belluver




TRI SATVARIO LA
T813292LA



TRI SATVARIO HA
T813292HA



TRI SATVARIO DA
T813292DA




TRI SATVARIO FA
T813292FA



PAVER GREY LT
T813328LA




PAVER GREY HA
T813328HA




PAVER GREY DA
T813328DA




PAVER GREY FA
T813328FA




TIVOR LA
T813332LA




TIVOR HA
T813332HA



TIVOR DA
T813332DA



TIVOR FA
T813332FA



ARABIAN BEIGE LA
T813333LA



ARABIAN BEIGE HA
T813333HA



ARABIAN BEIGE DA
T813333DA



ARABIAN BEIGE FA
T813333FA



MALABAR LA
T815023LA



MALABAR HA
T815023HA




MALABAR DA
T815023DA




MALABAR FA
T815023FA




ABSTRACT LA
T815027LA




ABSTRACT HA
T815027HA



ABSTRACT DA
T815027DA



ABSTRACT FA
T815027FA



VINCENT GREY LA
T813330LA



VINCENT GREY HA
T813330HA



VINCENT GREY DA
T813330DA



VINCENT GREY FA
T813330FA




WEB BLUE LA
T815038LA




WEB BLUE HA
T815038HA




WEB BLUE DA
T815038DA



WEB BLUE FA
T815038FA



ALPI BLUE LA
T813324LA




ALPI BLUE HA
T813324HA




ALPI BLUE DA
T813324DA




ALPI BLUE FA
T813324FA




RAFEL LA
T815101LA




RAFEL HA
T815101HA



RAFEL DA
T815101DA




RAFEL FA
T815101FA




LIVORON LA
T813326LA



LIVORON HA
T813326HA




LIVORON DA
T813326DA




LIVORON FA
T813326FA




POTRO LA
T815104LA



POTRO HA
T815104HA



POTRO DA
T815104DA



POTRO FA
T815104FA

Size: **300x450 mm**
Finish: **Glossy**

DIGITALE

HD Digital Tiles

Size: **300x450 mm**
Finish: **Glossy**

CERA

Tiles



VECTO GREY LA
T815042LA



VECTO GREY HA
T815042HA




VECTO GREY DA
T815042DA



VECTO GREY FA
T815042FA



VECTO BLUE LA
T815043LA



VECTO BLUE HA
T815043HA



VECTO BLUE DA
T815043DA



VECTO BLUE FA
T815043FA




COPITA LA
T815086LA



COPITA HA
T815086HA



COPITA DA
T815086DA




COPITA FA
T815086FA




TORRES LA
T815015LA




TORRES HA
T815015HA



TORRES DA
T815015DA



TORRES FA
T815015FA




ILONA LA
T815099LA




ILONA HA
T815099HA



ILONA DA
T815099DA



ILONA FA
T815099FA




SKYPER LA
T815100LA



SKYPER HA
T815100HA




SKYPER DA
T815100DA



SKYPER FA
T815100FA




BONITA LA
T815106LA



BONITA HA
T815106HA




BONITA DA
T815106DA



BONITA FA
T815106FA



Tiles Shown: **Bonita**



ROBERT LA
T815046LA




ROBERT HA
T815046HA



ROBERT DA
T815046DA



ROBERT FA
T815046FA



ROSALIA LA
T815061LA



ROSALIA HA
T815061HA



ROSALIA DA
T815061DA



ROSALIA FA
T815061FA



NATURA LA
T815047LA




NATURA HA
T815047HA



NATURA DA
T815047DA



NATURA FA
T815047FA



NOCHE LA
T815062LA



NOCHE HA
T815062HA



NOCHE DA
T815062DA



NOCHE FA
T815062FA




ROSSIA LA
T815051LA




ROSSIA HA
T815051HA



ROSSIA DA
T815051DA



ROSSIA FA
T815051FA



ROSELY LA
T815063LA




ROSELY HA
T815063HA




ROSELY DA
T815063DA




ROSELY FA
T815063FA




HEXAD WHITE LA
T815052LA




HEXAD BLUE HA
T815052HA



HEXAD BLACK HB
T815052HB



HEXAD BLACK FA
T815052FA




AYANNA LA
T815105LA




AYANNA HA
T815105HA



AYANNA DA
T815105DA



AYANNA FA
T815105FA




ANTON LA
T815085LA




ANTON HA
T815085HA



ANTON DA
T815085DA



ANTON FA
T815085FA




FELON BEIGE LA
T815075LA




FELON BEIGE HA
T815075HA



FELON BEIGE DA
T815075DA




FELON BEIGE FA
T815075FA



CAFFEDINE LA
T843013LA



CAFFEDINE HA
T843013HA




COPSE LA
T815076LA



COPSE HA
T815076HA



COPSE DA
T815076DA



COPSE FA
T815076FA



Size: 300x450 mm
Finish: Glossy

DIGITALE

HD Digital Tiles

Size: 300x450 mm
Finish: Glossy

CERA

Tiles




LAVINA LA
T815077LA



LAVINA HA
T815077HA



EXOTIC LA
T813334LA



EXOTIC HA
T813334HA



ALITA LA
T815095LA



ALITA HA
T815095HA



ALITA DA
T815095DA




ALITA FA
T815095FA




LAVINA DA
T815077DA



LAVINA FA
T815077FA



EXOTIC DA
T813334DA




EXOTIC HB
T813334HB



APEX LA
T815096LA




APEX HA
T815096HA




APEX DA
T815096DA



APEX FA
T815096FA



EXOTIC FA
T813334FA



DONZEL LA
T815097LA




DONZEL HA
T815097HA



DONZEL DA
T815097DA



DONZEL FA
T815097FA



LYRON LA
T815088LA



LYRON HA
T815088HA



BELEN LA
T815048LA



BELEN HA
T815048HA



ROWEN LA
T815093LA



ROWEN HA
T815093HA



ROWEN DA
T815093DA



ROWEN FA
T815093FA




LYRON DA
T815088DA



LYRON FA
T815088FA



BELEN DA
T815048DA



BELEN HB
T815048HB



SKYLER LA
T815094LA



SKYLER HA
T815094HA




SKYLER DA
T815094DA




SKYLER FA
T815094FA




BELEN FA
T815048FA




SHINE WHITE
T813057NA



PLAIN WHITE FA
T813057FA



SHINE IVORY
T813058NA



PLAIN IVORY FA
T813058FA

Size: 300x450 mm
Finish: Glossy

DIGITALE

HD Digital Tiles

Size: 300x450 mm
Finish: Glossy



PEONY PINK HA1
T813287HA




PEONY PINK HA2
T813287HB



PEONY PINK DK
T813287DA



PEONY PINK FA
T813287FA



FLUX LA
T813294LA



FLUX HA1
T813294HA




FLUX DA
T813294DA



FLUX HA2
T813294HB



FLUX FA
T813294FA



OSIO LA
T815102LA



OSIO HA
T815102HA



OSIO DA
T815102DA



OSIO HB
T815102HB



ACCURIO LA
T815108LA



ACCURIO HA
T815108HA



ACCURIO HB
T815108HB



ACCURIO DA
T815108DA



ACCURIO FA
T815108FA



OSIO FA
T815102FA

Size: 300x450 mm
Finish: Glossy

DIGITALE

HD Digital Tiles

Size: 300x450 mm
Finish: Glossy

CERA


Tiles



Tiles Shown: Alice



MADRO LA
T815103LA




MADRO HA
T815103HA




ORLEANS MULTI LA
T843034LA



ORLEANS MULTI HA
T843034HA



MADRO DA
T815103DA



MADRO HB
T815103HB



ORLEANS MULTI DA
T843034DA



ORLEANS MULTI HB
T843034HB



MADRO FA
T815103FA




ORLEANS MULTI HC
T843034HC



ALICE LA
T815030LA




ALICE HA
T815030HA



CINDER LA
T815070LA



CINDER HA
T815070HA



ALICE DA
T815030DA



ALICE HB
T815030HB



CINDER DA
T815070DA



CINDER HB
T815070HB



ALICE HC
T815030HC



CINDER HC
T815070HC

Size: 300x450 mm
Finish: Glossy

DIGITALE
HD Digital Tiles

Size: 300x450 mm
Finish: Glossy

CERA
Tiles



KELLAR LA
T815016LA



KELLAR HA
T815016HA



KELLAR HB
T815016HB




KELLAR DA
T815016DA



MARCO LA
T815125LA



MARCO HA
T815125HA



MARCO HB
T815125HB



MARCO HC
T815125HC



CARAFE LA
T815071LA



CARAFE HA
T815071HA



CARAFE HB
T815071HB



CARAFE HC
T815071HC



MARCO SKY LA
T815127LA




MARCO SKY HA
T815127HA



MARCO SKY HB
T815127HB



MARCO SKY HC
T815127HC



VESSEL LA
T815072LA



VESSEL HA
T815072HA



VESSEL HB
T815072HB



VESSEL HC
T815072HC



TEAPOT LA
T815128LA




TEAPOT HA
T815128HA



TEAPOT HB
T815128HB



TEAPOT HC
T815128HC



FLASK LA
T815073LA



FLASK HA
T815073HA



FLASK HB
T815073HB



FLASK DA
T815073DA



WOVER LA
T815129LA



WOVER HA
T815129HA



WOVER HB
T815129HB



WOVER HC
T815129HC



CAFFEDINE GREY LA
T843035LA



CAFFEDINE GREY HA
T843035HA



CAFFEDINE GREY HB
T843035HB



CAFFEDINE GREY HC
T843035HC



BASKER LA
T815124LA



BASKER HA
T815124HA



BASKER HB
T815124HB



BASKER HC
T815124HC



FANTASY LA
T843012LA



FANTASY HA
T843012HA



FANTASY HB
T843012HB



FANTASY HD
T843012HD



COOKERY LA
T815069LA



COOKERY HA
T815069HA



COOKERY HB
T815069HB

Size: 300x450 mm
Finish: Glossy

DIGITALE
HD Digital Tiles

Size: 300x450 mm
Finish: Glossy


CERA
Tiles



DESSERT LT
T813302LA



CAPPUCINNO LA
T813299LA



DRAWER LA
T815126LA



DIVINE WHITE LA
T813305LA



DESSERT HA1
T813302HA



CAPPUCINNO HA
T813299HA



DRAWER HA
T815126HA



DIVINE WHITE HA1
T813305HA



DESSERT HA2
T813302HB




CAPPUCINNO DA
T813299DA




DRAWER HB
T815126HB



DIVINE WHITE HA2
T813305HB



NETEX LA
T815074LA




DIVINE BEIGE LA
T813306LA



KALEN LA
T843006LA



KALEN HA
T843006HA



NETEX HA
T815074HA



DIVINE BEIGE HA1
T813306HA



KALEN HB
T843006HB



KALEN HC
T843006HC



NETEX HB
T815074HB



DIVINE BEIGE HA2
T813306HB



KALEN HD
T843006HD



BOSTON BRICKS LA
T843032LA



BOSTON BRICKS HA
T843032HA



BOSTON BRICKS HB
T843032HB



BOSTON BRICKS HC
T843032HC



ART ORANGE
T815007NA




ART BLACK
T815008NA




ART RED
T815009NA



ART BLUE
T815005NA



MOSAIC BLUE
T815122NA



MOSAIC CYAN
T815123NA



Tiles Shown: Boston Brick

Size: 300x450 mm
Finish: Glossy Elevation

DIGITALE

HD Digital Tiles

Size: 300x450 mm
Finish: Glossy Elevation



FIERRA BLUE
T815132NA




FLORIN BLUE
T815133NA



CHUNKER BEIGE
T815143NA



BRICKER BLUE
T815144NA



BLOQUE BEIGE
T815138NA



BLOQUE STONE
T815137NA



STONEX BEIGE
T815134NA



VERSE GRIS
T815135NA



CINDER BLOCK
T815142NA



ELIVA BLACK
T815146NA




ELANO BLUE
T815147NA




HAMLET BROWN
T815136NA



NORD MULTI
T853099NA



WOODPINE
T853034NA




EDIMAX-01
T853037NA



EDIMAX-02
T853038NA



PEBBLE WOOD
T853086NA



MOSAICO RED
T853027NA



MOSAICO BROWN
T853028NA




MOSAICO WHITE
T853026NA



JODHPUR STONE
T853075NA




NATURAL STONE GREY
T853084NA



NATURAL STONE BROWN
T853085NA




ARTICOWALL BROWN
T853040NA



IRA
T853102NA



CINDER RED-G
T853111NA



CRAG TAN-G
T853113NA



NIGRA
T853101NA



PIZZARA WHITE
T853115NA



Tiles Shown: Natural Stone Grey

Size: 300x450 mm
Finish: Matt

DIGITALE
HD Digital Tiles

Size: 300x450 mm
Finish: Matt Elevation

CERA
Tiles


Finish: **Hard Matt**



SHIMMER GOLD LA
T823019LA



SHIMMER GOLD HA
T823019HA



HILLOCK STONE BEIGE
T853016NA



HILLOCK STONE THAR
T853021NA



SHIMMER GOLD DA
T823019DA



SHIMMER BLUE HB
T823027HA



SHIMMER GOLD FA
T823019FA




Matt



Tiles Shown: Shimmer Gold



RACO NATURAL
T815139NA



NACO BROWN
T815140NA



NACO GRIS
T815141NA



CINDER RED-M
T853112NA




TARAGO BROWN
T853103NA



GLAMIS
T853104NA



CASTLE STRIP
T853107NA



CRAG TAN-M
T853114NA



TARAGO MULTI
T853108NA



SCOLI GREEN
T853110NA



SCOLI BRICK
T853106NA



CARDIFF BLACK
T853105NA

ULTRA-COOL TILING CHOICES.



Fire
Resistant



Dimensional
Stability



Chemical
Resistance



Stain
Resistance



Ice & Frost
Resistance



Hygienic
Surface

REFINITO

Double Charged Vitrified Tiles

600x1200 mm | 800x800 mm | 600x600 mm

Finish:
Glossy






EMPIRE WHITE
T213729NA



EMPIRE CREMA
T213730NA



FANDOM AQUA
T213727NA



FANDOM ASH
T213726NA




TOPAZ WHITE
T213723NA



FANDOM CREMA
T213725NA



FANDOM ROSE
T213728NA



FANDOM WHITE
T213724NA



TOPAZ ASH
T213722NA



TOPAZ CREMA
T213721NA

Size: 800x800 mm
Finish: Glossy

REFINITO
Double Charged Vitrified Tiles

Size: 800x800 mm
Finish: Glossy

CERA
Tiles



TROPIC ULTRA WHITE
T218029NA



TROPIC TOPAZ WHITE
T218032NA



TROPIC SUPER WHITE
T218020NA



Tiles Shown: Tropic Topaz White

Size: **600x600 mm**
Finish: **Glossy**

REFINITO
Double Charged Vitrified Tiles

Size: **600x600 mm**
Finish: **Glossy**

CERA
Tiles



REBEL STRAWBERRY
T216307NA



REBEL LUSH
T216308NA



REBEL GOLD
T216309NA



PASTEL CREMA
T441001NA



PASTEL ROSE
T441002NA



PASTEL WHITE
T441003NA




REBEL GREY
T216310NA



REBEL WHITE
T216311NA



REBEL GRANITO
T216312NA




TROPIC PRO WHITE
T216012NA




TROPIC ULTRA WHITE
T216032NA



REBEL MAGIC
T216313NA



ULTRA ROSE
T216036NA



ULTRA CHOCOLATE
T216040NA



ULTRA MELODY
T216041NA



ULTRA GRANITO
T216035NA



Tiles Shown: **Ultra Melody**

INSPIRED BY
THE HUES
OF NATURE.



Fire
Resistant



Dimensional
Stability



Chemical
Resistance



Stain
Resistance



Ice & Frost
Resistance



Hygienic
Surface

IDENTITY

Full Body Vitrified Tiles

600x1200 mm | 600x600 mm

Finish:
Gloss | Matt | Rustic

ELEGANTE

Vitrified Tiles with Nano Technology

600x600 mm

Finish:
Glossy



Size: 600x1200 mm
Finish: Glossy | Matt

IDENTITY

Full Body Vitrified Tiles

Size: 600x1200 mm
Finish: Glossy | Matt

CERA
Tiles




S&P URBAN GRAY
T228013NA - GLOSSY
T238013NA - MATT




S&P SALMON
T228014NA - GLOSSY
T238014NA - MATT



PURE WHITE
T228021NA - GLOSSY
T238021NA - MATT



CLASSIC SILVER
T228011NA - GLOSSY
T238011NA - MATT



FASHION GRAY
T238022NA - MATT



S&P WHITE
T228016NA - GLOSSY
T238016NA - MATT



S&P COKE
T228017NA - GLOSSY
T238017NA - MATT



Tiles Shown: Fashion Gray

Size: 600x1200 mm | 300x1200 mm
Finish: Rustic

IDENTITY

Full Body Vitrified Tiles

Size: 600x1200 mm | 300x1200 mm
Finish: Rustic


CERA
Tiles



CREST BEIGE
T246009NA



T246008NA



CREST BROWN
T246011NA



T246010NA



CREST MINK
T246015NA




T246014NA



CREST GRIS
T246013NA



T246012NA



Tiles Shown: Crest Gris

Size: 600x600 mm
Finish: Glossy | Matt

IDENTITY

Full Body Vitrified Tiles

Size: 600x600 mm
Finish: Glossy | Matt

CERA
Tiles




CLASSIC SILVER
T226008NA | T236008NA



S&P WHITE
T226014NA | T236014NA



S&P SALMON
T226011NA | T236011NA



PURE WITHE
T226018NA | T236018NA



S&P URBAN GREY
T226012NA | T236012NA



S&P COKE
T226015NA | T236015NA



FASION GRAY | T236019NA




TECHSTONE NEXA
T236023NA




TECHSTONE WALLNUT
T236024NA



TECHSTONE WHITE
T236025NA



TECHSTONE COPPER
T236021NA



TECHSTONE MARCO
T236022NA




Tiles Shown: Techstone Nexa

Size: 600x600 mm
Finish: Glossy


ELEGANTE
Vitrified Tiles with Nano Technology

ETERNO
Digital Porcelain Tiles

CERA
Tiles




HAWAI
T111035NA



ZEVI0
T111021NA



RIVOLI
T111014NA



SST IVORY
T111074NA



Tiles Shown: Rivoli

Technical Specification

CERAMIC FLOOR TILES					
Sr. No.	Properties	Test Method	IS 15622:2017 Group - B I a	IS 15622:2017 Group - B I b	CERA VALUE
DIMENSION & SURFACE QUALITY					
1	Deviation in Length and Width	IS 13630 Part-1	± 0.60%	± 0.10%	± 0.10%
2	Deviation in Thickness	IS 13630 Part-1	± 5.0%	± 5.0%	± 4.0%
3	Straightness of Sides	IS 13630 Part-1	± 0.50%	± 0.10%	± 0.10%
4	Diagonal Variation or Rectangularity	IS 13630 Part-1	± 0.60%	± 0.10%	± 0.10%
5	Surface Flatness	IS 13630 Part-1	± 0.50%	± 0.50%	± 0.2%
6	Surface Quality	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
PHYSICAL PROPERTIES					
7	Water Absorption	IS 13630 Part-2	≤ 0.5 %	Avg. 0.08 < E ≤ 3% Ind-3.3 Max %	Max - 0.5 %
8	MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm ² Ind.-32 N/mm ²	Avg. 30 N/mm ² Ind.-27 N/mm ²	Avg. 35 N/mm ²
9	Breaking strength	IS 13630 Part-6	Thickness < 7.5mm-700N Thickness ≥ 7.5mm-1300N	Thickness < 7.5mm-1100N	1100N
10	Abrasion Resistance (Unglazed Tiles)	IS 13630 Part-11	As per Mfg.	Min. Class II	Min. Class II
11	MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5	Min. 5
12	Bulk Density	IS 13630 Part-2	Min. 2	Min. 2	Min. 2
13	Moisture Expansion	IS 13630 Part-3	Max. 0.02mm/m	Max. 0.02mm/m	Max. 0.02mm/m
14	Impact Resistance (COR)	IS 13630 Part-14	Test Method Available	0.55 Min.	0.55 Min
15	Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
16	Thermal Shock Resistance	IS 13630 Part-5	Required	10 Cycle Min.	10 Cycle Min.
17	Frost Resistance	IS 13630 Part-10	Required	Resistant	No damage
18	Linear Thermal Expansion	IS 13630 Part-4	6X10 ⁻⁶ K ⁻¹ Max.	6X10 ⁻⁶ K ⁻¹ Max.	6X10 ⁻⁶ K ⁻¹ Max.
CHEMICAL PROPERTIES					
19	Resistance to Household chemical	IS 13630 Part-8	Min. GB	Min. AA	Min. AA
20	Resistance to Stain	IS 13630 Part-8	Min. Class 3	Min. Class 1	Min. Class 1

Sr. No.	Product	Nominal Size	No of Tiles/Box	Approx Covering Area
1	Ceramic Floor Tiles	600x1200 mm	2 Pcs.	1.44 Sq.Mtr
2	Ceramic Floor Tiles	600x600 mm	4 Pcs.	1.44 Sq.Mtr

Technical Specification

HD DIGITAL CERAMIC FLOOR TILES			
PROPERTIES	TEST METHOD	IS 15622:2017 Group - B III	CERA VALUE
DIMENSION & SURFACE QUALITY			
Deviation in Length and Width	IS 13630 Part-1	± 0.10%	± 0.10%
Deviation in Thickness	IS 13630 Part-1	± 5.0%	± 3.0%
Straightness of Sides	IS 13630 Part-1	± 0.10%	± 0.10%
Diagonal Variation or Rectangularity	IS 13630 Part-1	± 0.10%	± 0.10%
Surface Flatness	IS 13630 Part-1	± 0.50%	± 0.15%
Surface Quality	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
PHYSICAL PROPERTIES			
Water Absorption	IS 13630 Part-2	Avg. 3 < E ≤ 6 %	Avg. 3-6 %
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 30 N/mm ² Ind.-28 N/mm ²	Avg.30 N/mm ²
Breaking strength	IS 13630 Part-6	Thickness< 7.5mm-500N Thickness≥ 7.5mm-1000N	Thickness< 7.5mm-500N Thickness≥ 7.5mm-1100N
Abrasion Resistance (PEI groups II III IV V)	IS 13630 Part-11	Min. Class II	Min. Class II
Moisture Expansion	IS 13630 Part-3	0.03mm/m	0.03 mm/m
MOH's Scratch Hardness	IS 13630 Part-13	Min. 4	Min. 4
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.
Frost Resistance	IS 13630 Part-10	Resistant	No damage
CHEMICAL PROPERTIES			
Resistance to Household chemical	IS 13630 Part-8	Min. AA	Min. AA
Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1

Packaging Details

Sr. No.	Product	Nominal Size	No of Tiles/Box	Approx Covering Area
1	HD Digital Ceramic Tiles	396X396mm	5	0.78 Sq.Mtr

Technical Specification

CERAMIC FLOOR TILES (ANTI SKID)					
Properties	Test Method	IS 15622:2017 Group - B II b (Unrectified)	IS 15622:2017 Group - B II b (Rectified)	CERA VALUE Unrectified	CERA VALUE Rectified
DIMENSION & SURFACE QUALITY					
Deviation in Length and Width	IS 13630 Part-1	± 0.40%	± 0.10%	± 0.30%	± 0.10%
Deviation in Thickness	IS 13630 Part-1	± 5.0%	± 5.0%	± 3.0%	± 3.0%
Straightness of Sides	IS 13630 Part-1	± 0.30%	± 0.10%	± 0.20%	± 0.10%
Diagonal Variation or Rectangularity	IS 13630 Part-1	± 0.10%	± 0.10%	± 0.10%	± 0.10%
Surface Flatness	IS 13630 Part-1	± 0.50%	± 0.50%	± 0.2%	± 0.15%
Surface Quality	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
PHYSICAL PROPERTIES					
Water Absorption	IS 13630 Part-2	Avg. 6 < E ≤ 10 %	Avg. 6 < E ≤ 10 %	Avg. 6-10 %	Avg. 6-10 %
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 18 N/mm ² Ind.-16 N/mm ²	Avg. 18 N/mm ² Ind.-16 N/mm ²	Avg.20 N/mm ²	Avg.20 N/mm ²
Breaking strength	IS 13630 Part-6	Thickness< 7.5mm-500N Thickness≥ 7.5mm-800N	Thickness< 7.5mm-500N Thickness≥ 7.5mm-800N	Thickness< 7.5mm-500N Thickness≥ 7.5mm-850N	Thickness< 7.5mm-500N Thickness≥ 7.5mm-850N
Abrasion Resistance (PEI groups II III IV V)	IS 13630 Part-11	Min. Class II	Min. Class II	Min. Class II	Min. Class II
Moisture Expansion	IS 13630 Part-3	0.04mm/m	0.04mm/m	0.04 mm/m	0.04 mm/m
MOH's Scratch Hardness	IS 13630 Part-13	Min. 4	Min. 4	Min. 4	Min. 4
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.	10 Cycle Min.	10 Cycle Min.
Frost Resistance	IS 13630 Part-10	Resistant	Resistant	No damage	No damage
CHEMICAL PROPERTIES					
Resistance to Household chemical	IS 13630 Part-8	Min. AA	Min. AA	Min. AA	Min. AA
Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1	Min. Class 1	Min. Class 1

Packaging Details

Sr. No.	Product	Nominal Size	No of Tiles/Box	Approx Covering Area
1	Anti-Skid Tiles	300X300mm	10	0.90 Sq.Mtr

Technical Specification

CERAMIC WALL TILES				
Sr. No.	Properties	Test Method	IS 15622:2017 Group - B III	CERA VALUE
DIMENSION & SURFACE QUALITY				
1	Deviation in Length and Width	IS 13630 Part-1	± 0.20%	± 0.15%
2	Deviation in Thickness	IS 13630 Part-1	± 5.0%	± 4.0%
3	Straightness of Sides	IS 13630 Part-1	± 0.15%	± 0.10%
4	Diagonal Variation or Rectangularity	IS 13630 Part-1	± 0.20%	± 0.15%
5	Surface Flatness	IS 13630 Part-1	± 0.30%	± 0.20%
6	Surface Quality	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
PHYSICAL PROPERTIES				
7	Water Absorption	IS 13630 Part-2	Avg.> 10 %	Avg.> 10 %
8	MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 15 N/mm ²	Avg. 16 N/mm ²
9	Breaking strength	IS 13630 Part-6	Min. 600 N	700 N
10	Abrasion Resistance (Unglazed Tiles)	IS 13630 Part-11	Min. Class II	Min. Class II
11	MOH's Scratch Hardness	IS 13630 Part-13	Min. 3	Min. 3
13	Moisture Expansion	IS 13630 Part-3	0.04mm/m Max.	0.03mm/m Max.
14	Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min
15	Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
16	Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.
18	Linear Thermal Expansion	IS 13630 Part-4	9X10 ⁻⁶ K ⁻¹ Max.	9X10 ⁻⁶ K ⁻¹ Max.
CHEMICAL PROPERTIES				
19	Resistance to Household chemical	IS 13630 Part-8	Min. AA	Min. AA
20	Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1

Sr. No.	Product	Nominal Size	No of Tiles/Box	Approx Covering Area
1	Ceramic Wall Tiles	300x600 mm	5 Pcs.	0.9 Sq.Mtr
2	Ceramic Wall Tiles	300x450 mm	6 Pcs.	0.81 Sq.Mtr
3	Ceramic Wall Tiles	300x300 mm	10 Pcs.	0.9 Sq.Mtr

Technical Specification

REFINITO				
Sr. No.	Properties	Test Method	IS 15622:2017 Group - B I a	CERA VALUE
DIMENSION & SURFACE QUALITY				
1	Deviation in Length and Width	IS 13630 Part-1	± 0.10%	± 0.10%
2	Deviation in Thickness	IS 13630 Part-1	± 5.0%	± 3.0%
3	Straightness of Sides	IS 13630 Part-1	± 0.10%	± 0.10%
4	Diagonal Variation or Rectangularity	IS 13630 Part-1	± 0.10%	± 0.10%
5	Surface Flatness	IS 13630 Part-1	± 0.50%	± 0.15%
6	Surface Quality	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
PHYSICAL PROPERTIES				
7	Water Absorption	IS 13630 Part-2	Avg.≤ 0.08 % Ind-0.1 %	Avg.≤ 0.05 %
8	MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm ² Ind.-32 N/mm ²	Avg. 40 N/mm ²
9	Breaking strength	IS 13630 Part-6	Thickness< 7.5mm-700N Thickness≥ 7.5mm-1300N	Thickness< 7.5mm-700 N Thickness≥ 7.5mm-1500N
10	Abrasion Resistance (Unglazed Tiles)	IS 13630 Part-11	Max. 145 mm ³	Max. 125 mm ³
11	MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
12	Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2
13	Moisture Expansion	IS 13630 Part-3	0.02mm/m	0.02 mm/m
14	Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min
15	Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
16	Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.
17	Frost Resistance	IS 13630 Part-10	Resistant	No damage
18	Linear Thermal Expansion	IS 13630 Part-4	6X10 ⁻⁶ K ⁻¹ Max.	6X10 ⁻⁶ K ⁻¹ Max.
CHEMICAL PROPERTIES				
19	Resistance to Household chemical	IS 13630 Part-8	Min. AA	Min. AA
20	Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1

REFINITO				
Sr. No.	Product	Nominal Size	No of Tiles/Box	Approx Covering Area
1	Double Charged Vitrified Tiles	600X1200mm	2	1.44 Sq.Mtr
2	Double Charged Vitrified Tiles	800X800mm	3	1.92 Sq.Mtr
3	Double Charged Vitrified Tiles	600X600mm	4	1.44 Sq.Mtr

Technical Specification

IDENTITY				
Sr. No.	Properties	Test Method	IS 15622:2017 Group - B I a	CERA VALUE
DIMENSION & SURFACE QUALITY				
1	Deviation in Length and Width	IS 13630 Part-1	± 0.10%	± 0.10%
2	Deviation in Thickness	IS 13630 Part-1	± 5.0%	± 3.0%
3	Straightness of Sides	IS 13630 Part-1	± 0.10%	± 0.10%
4	Diagonal Variation or Rectangularity	IS 13630 Part-1	± 0.10%	± 0.10%
5	Surface Flatness	IS 13630 Part-1	± 0.50%	± 0.15%
6	Surface Quality	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
PHYSICAL PROPERTIES				
7	Water Absorption	IS 13630 Part-2	Avg.≤ 0.08 % Ind-0.1 %	Avg.≤ 0.05 %
8	MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm ² Ind.-32 N/mm ²	Avg. 40 N/mm ²
9	Breaking strength	IS 13630 Part-6	Thickness< 7.5mm-700N Thickness≥ 7.5mm-1300N	Thickness< 7.5mm-700 N Thickness≥ 7.5mm-1500N Thickness≥ 15mm-3800N
10	Abrasion Resistance (Unglazed Tiles)	IS 13630 Part-11	Max. 145 mm ³	Max. 125 mm ³
11	MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
12	Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2
13	Moisture Expansion	IS 13630 Part-3	0.02mm/m	0.02 mm/m
14	Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min
15	Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
16	Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.
17	Frost Resistance	IS 13630 Part-10	Resistant	No damage
18	Linear Thermal Expansion	IS 13630 Part-4	6X10 ⁻⁶ K ⁻¹ Max.	6X10 ⁻⁶ K ⁻¹ Max.
CHEMICAL PROPERTIES				
19	Resistance to Household chemical	IS 13630 Part-8	Min. AA	Min. AA
20	Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1

IDENTITY				
Sr. No.	Product	Nominal Size	No of Tiles/Box	Approx Covering Area
1	Full Body Vitrified Tiles	600X1200mm	2	1.44 Sq.Mtr
2	Full Body Vitrified Tiles	600X600mm	4	1.44 Sq.Mtr

Technical Specification

STEP & RISER (300x1200mm, 600x1200mm)				
Sr. No.	Properties	Test Method	IS 15622:2017 Group - B I a	CERA VALUE
DIMENSION & SURFACE QUALITY				
1	Deviation in Length and Width	IS 13630 Part-1	± 0.10%	± 0.10%
2	Deviation in Thickness	IS 13630 Part-1	± 5.0%	± 3.0%
3	Straightness of Sides	IS 13630 Part-1	± 0.10%	± 0.10%
4	Diagonal Variation or Rectangularity	IS 13630 Part-1	± 0.10%	± 0.10%
5	Surface Flatness	IS 13630 Part-1	± 0.50%	± 0.15%
6	Surface Quality	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
PHYSICAL PROPERTIES				
7	Water Absorption	IS 13630 Part-2	Avg.≤ 0.08 % Ind-0.1 %	Avg.≤ 0.05 %
8	MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm ² Ind.-32 N/mm ²	Avg. 40 N/mm ²
9	Breaking strength	IS 13630 Part-6	Thickness< 7.5mm-700N Thickness≥ 7.5mm-1300N	1800N
10	Abrasion Resistance (Unglazed Tiles)	IS 13630 Part-11	Max. 145 mm ³	Max. 125 mm ³
11	MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
12	Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2
13	Moisture Expansion	IS 13630 Part-3	0.02mm/m	0.02 mm/m
14	Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min
15	Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
16	Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.
17	Frost Resistance	IS 13630 Part-10	Resistant	No damage
18	Linear Thermal Expansion	IS 13630 Part-4	6X10 ⁻⁶ K ⁻¹ Max.	6X10 ⁻⁶ K ⁻¹ Max.
CHEMICAL PROPERTIES				
19	Resistance to Household chemical	IS 13630 Part-8	Min. AA	Min. AA
20	Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1

STEP & RISER				
Sr. No.	Product	Nominal Size	No of Tiles/Box	Approx Covering Area
1	Riser	600X1200mm	2	1.44 Sq.Mtr
2	Step	300X1200mm	4	1.44 Sq.Mtr

Technical Specification

ELEGANTE SST				
Sr. No.	Properties	Test Method	IS 15622:2017 Group - B I a	CERA VALUE
DIMENSION & SURFACE QUALITY				
1	Deviation in Length and Width	IS 13630 Part-1	± 0.10%	± 0.10%
2	Deviation in Thickness	IS 13630 Part-1	± 5.0%	± 3.0%
3	Straightness of Sides	IS 13630 Part-1	± 0.10%	± 0.10%
4	Diagonal Variation or Rectangularity	IS 13630 Part-1	± 0.10%	± 0.10%
5	Surface Flatness	IS 13630 Part-1	± 0.50%	± 0.15%
6	Surface Quality	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
PHYSICAL PROPERTIES				
7	Water Absorption	IS 13630 Part-2	Avg. ≤ 0.08 % Ind-0.1 %	Avg. ≤ 0.05 %
8	MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm ² Ind.-32 N/mm ²	Avg. 40 N/mm ²
9	Breaking strength	IS 13630 Part-6	Thickness < 7.5mm-700N Thickness ≥ 7.5mm-1300N	Thickness < 7.5mm-700 N Thickness ≥ 7.5mm-1300N
10	Abrasion Resistance (Unglazed Tiles)	IS 13630 Part-11	Max. 145 mm ³	Max. 125 mm ³
11	MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
12	Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2
13	Moisture Expansion	IS 13630 Part-3	0.02mm/m	0.02 mm/m
14	Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min
15	Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
16	Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.
17	Frost Resistance	IS 13630 Part-10	Resistant	No damage
18	Linear Thermal Expansion	IS 13630 Part-4	6X10 ⁻⁶ K ⁻¹ Max.	6X10 ⁻⁶ K ⁻¹ Max.
CHEMICAL PROPERTIES				
19	Resistance to Household chemical	IS 13630 Part-8	Min. AA	Min. AA
20	Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1

ELEGANTE SST				
Sr. No.	Product	Nominal Size	No of Tiles/Box	Approx Covering Area
1	Vitrified Tiles With Nano Technology	600X600mm	4	1.44 Sq.Mtr



Trusted by all.
Made by CERA.

CERA Stylefix

Construction Chemicals

A range of Stylefix Construction Chemicals.



Grout Admix



Tile Cleaner

- Tiles Adhesive TA01F
- Tiles Adhesive TA02 Grey
- Tiles Adhesive TA02 White
- Slab Tile / Stone Adhesive TA03 Grey
- Slab Tile / Stone Adhesive TA03 Grey White
- Unifix TA04
- Cement Grout
- Epoxy Based Tile Grout
- Epoxy Tile Grout 2 Part
- Grout Admix
- Tile Cleaner
- Tile Spacer
- Tile Equalizer

CERA Stylefix
Construction Chemicals

NO LIMITS

CERA Stylefix
Lixifix TA04

Net weight - 20 kg

FEATURES

- High polymer modified adhesive
- Highly flexible
- Self-curing
- Use exterior & interior
- Slip resistance
- Extended open time
- For internal & external floor & wall
- For vibration area

"The Premier Adhesive Choice For Flawless Tile Installation."

www.cera-india.com/cera/tiles/stylefix

CERA Stylefix

Construction Chemicals

CERA Stylefix
Construction Chemicals

CERA Stylefix
Epoxy Tile Grout - 2 Part

FEATURES

- Anti Bacterial & Fungicidal
- Stain resistant
- Chemical resistant
- Excellent for water body, bathroom, etc.

"Achieve Perfectly Seamless Tile Finishes with Superior Joint Filler."

www.cera-india.com/cera/tiles/stylefix


CERA Stylefix
Construction Chemicals

CERA TILE CLEANER


Remove Germs, Dirts & Stains

www.cera-india.com/cera/tiles/stylefix


FOLLOW THE INSTRUCTION FOR RECTANGULAR/SQUARE CUTTING




- Ensure that at least 5 mm space is left between the edge of the slab and the point where the hole has to be made. The radius of the corners must be a minimum of 3 mm.



- Angles cut without necessary radius length create a stress point, whereas the large radius maintains the structural resistance. Make sure to never leave the corners with 90° angle cuts.




- Use a drill bit 3 to 5 mm to drill corners of the cut-out.




- Use a bridge saw running to cut from one hole to the next. Ensure the bridge saw is running at minimum speed to decrease the stress on the slab.

OTHER INSTRUCTIONS




- When cutting a "U" shaped piece, mark and drill relief holes where the cut lines intersect, always make the shortest cut first.


FOLLOW THE INSTRUCTION FOR ROUND CUTTING




- Use the sticky tape and pen to mark a circle.



- Start at an angle of 45 degree slowly.




- Angle drill to vertical position 90 degree once round trace made.



- Slow down speed for exit holes.

WHAT TO AVOID

- Never cut the tile without using water
- Never cut the tiles without laying on sand carpet
- Never cut the tiles at a fast speed.



- When cutting an "L" countertop, drill relief holes where the cut lines intersect, always make the shortest cut first.



Join Our Mason Club and
Enjoy Exclusive Rewards!

LIVE NOW





Cera Sanitaryware Limited

Corporate Office:

7th & 8th Floors, B Wing, Privilon, Ambli BRTS Road, Iskcon Crossroads, Ahmedabad 380059
Tel: +91 79 49112222 | Email: marketing@cera-india.com | Web: www.cera-india.com/stylefix

Regional Offices:

Ahmedabad: 2nd Floor, B Block, The Acropolis Mall, S.G. Highway, Thaltej, Ahmedabad 380054,
Tel: +91 9033008905, 9033008906 Email: css.ahmedabad@cera-india.com

Bengaluru: 1st & 2nd Floors, AXIS Samruddhi-12, No. 12,15th Cross, JP Nagar, 4th Phase, 100 Feet Ring Road, Near Dalmiya Signal,
Bengaluru 560078, Tel: + 080 42123295 Email: css.bangalore@cera-india.com

Chennai: 10 Square Mall, 2nd Floor, West Wing, 100 Feet Road, #64, Jawaharlal Nehru Road, Koyambedu, Chennai 600107,
Tel: +91 44 48649884, 48609885 Email: chennai@cera-india.com

Delhi & NCR: 801, Bhikaji Cama Bhawan, Bhikaji Cama Place, New Delhi 110066, Tel: +91 11 46574105, 46574106 Email: delhi@cera-india.com

Hyderabad: Plot # 643, 3rd & 4th Floor, Mytri Heights, Adjacent Madhapur Metro Station, Road # 36, Jubilee Hills, Hyderabad 500033,
Tel: +91 7229073737 Email: hyderabad@cera-india.com

Jaipur: 1st Floor, KK², C-11, Prithviraj Road, C Scheme, Ashok Nagar, Jaipur 302001

Kochi: 1st Floor, Bay Pride Towers & Mall, Marine Drive, Kochi 682031, Tel: +91 484 4052213, 2365440 Email: cochin@cera-india.com

Kolkata: Tirumala 22, Unit - 3A, 3rd Floor, 22 Topsia Road (East), Kolkata 700046, Tel: +91 33 22850130 Email: css.kolkata@cera-india.com

Kozhikode: 29/1275, "Payyeri House" MLA Road, Kottoli P.O, Kozhikode 673016, Tel: +91 495 4012525 Email: calicut@cera-india.com

Lucknow: 3rd Floor, Plot 146-147, Near Bhootnath Metro Station, Sector-5, Faizabad Road, Indira Nagar, Lucknow 226016.

Mohali: Plot No. 33-C, Industrial Estate, JLPL, Sector 82, Mohali 140306, Tel: 0172 2733101 Email: chandigarh@cera-india.com

Morbi: Laxmi Ceramic Compound, Near Tajpar Char Rasta, NH 8-A, Morbi 363642, Tel: +91 7600008729

Mumbai: 7 & 8, Woodrow Building, Veera Desai Road, Andheri (West) Mumbai 400053, Tel: 022 40116070 Email: mumbai@cera-india.com

Pune: Plot No. 490/B, CTS No. 1115, Bhamburda, Ganesh Khind Road, Pune 411005,

Thiruvananthapuram: 1st Floor, SFS Pyramid, TC 97/2139(97), Near MGM School, Thampuran Mukku, NH Bypass, Karimanal P.O.,
Thiruvananthapuram 695583, Tel: +91 471 3512056 Email: trivandrum@cera-india.com



Ahmedabad: 2nd Floor, B Block, The Acropolis Mall, S.G. Highway, Thaltej, Ahmedabad 380054,
Tel: +91 9033008905, 9033008906 Email: bathstudio_ahd@cera-india.com

Bengaluru: 1st & 2nd Floors, AXIS Samruddhi-12, No. 12,15th Cross, JP Nagar, 4th Phase, 100 Feet Ring Road, Near Dalmiya Signal, Bangalore 560078

Chennai: 10 Square Mall, 2nd Floor, West Wing, 100 Feet Road, #64, Jawaharlal Nehru Road, Koyambedu, Chennai 600107,
Tel: +91 44 48649884, 48609885

Hyderabad: Plot # 643, 3rd & 4th Floor, Mytri Heights, Adjacent Madhapur Metro Station, Road # 36, Jubilee Hills, Hyderabad 500033,
Tel: +91 7229073737, +91 40 29880622 Email: css.hyderabad@cera-india.com

Jaipur: 1st Floor, KK², C-11, Prithviraj Road, C Scheme, Ashok Nagar, Jaipur 302001

Kochi: 1st Floor, Bay Pride Towers & Mall, Marine Drive, Kochi 682031, Tel: +91 484 4052213, 2365440 Email: cochin@cera-india.com

Kolkata: Tirumala 22, Unit - 3A, 3rd Floor, 22 Topsia Road (East), Kolkata 700046, Tel: +91 33 22850130 Email: css.kolkata@cera-india.com

Lucknow: 3rd Floor, Plot 146-147, Near Bhootnath Metro Station, Sector-5, Faizabad Road, Indira Nagar, Lucknow 226016.

Mohali: Plot No. 33-C, Industrial Estate, JLPL, Sector 82, Mohali 140306, Tel: 0172 2733101 Email: chandigarh@cera-india.com

Morbi: Laxmi Ceramic Compound, Near Tajpar Char Rasta, NH 8-A, Morbi 363642, Tel: +91 7043301227

Mumbai: 7, Woodrow Building, Veera Desai Road, Andheri (West) Mumbai 400053, Email: mumbai@cera-india.com

Pune: Plot No. 490/B, CTS No. 1115, Bhamburda, Ganesh Khind Road, Pune 411005,

Thiruvananthapuram: 1st Floor, SFS Pyramid, TC 97/2139(97), Near MGM School, Thampuran Mukku, NH Bypass, Karimanal P.O.,
Thiruvananthapuram 695583, Tel: +91 471 3512056 Email: trivandrum@cera-india.com

Export enquiry: internationalsales@cera-india.com

Regd. Office & Works: 9, GIDC Industrial Estate, Kadi 384440, District Mehsana, North Gujarat Tel: +91 2764 243000, 242329

Email: kadi@cera-india.com For Customer Care: Toll Free: 1800 258 5500 Email: ceracare@cera-india.com

Online: www.cera-india.com/service-request For Export Enquiry: internationalsales@cera-india.com

Disclaimer: The colours of tiles shown in this catalogue are as accurate as the limitations of printing. Customers are requested to check actual sample before placing orders. Every effort has been made to ensure the accuracy of the specifications and other information given in this catalogue. However, the company reserves the right to change the specification without prior notice.



CERA Tile Gallery

Scan & Find Cera Gallery Near You